



26-Jan-24

QTY	PART NUMBER	CATEGORY	FINISH OPTIONS	LIST	EXT LIST
2	<b>SP-ARLL-0328</b> SPECIAL **top door opens left, bottom door opens right. ** Storage, Locker, 12 in. wide. 18 in. deep. 57 in. high. Base with levelers. Two doors. Opens left. Coat hook, left and Right gables. Standard pull. Standard key lock. Standard laminate body. Standard laminate door(s).	<b>Locker</b>	BODY-TBD FRONT-TBD PULL-TBD -	- - - -	\$1,225 \$2,450
2	<b>ARLT01218-SO2</b> Accessory Top, 12 in. long. 18 in. deep. 1mm PVC edge. Standard laminate top.	<b>Accessory</b>	TOP-TBD - - -	- - - -	\$100 \$200
2	<b>MPAD4-4</b> MultiStations-Plus, Accessory Data Clip, 4 port data clip. 4 data.	<b>Accessory</b>	- - - -	- - - -	\$310 \$620
1	<b>MPJA36S</b> MultiStations-Plus, Power Jumper, Straight, 36-1/4 in. Straight.	<b>Jumper</b>	- - - -	- - - -	\$180 \$180
1	<b>MPJI072S</b> MultiStations-Plus, Power Infeed, 72 in. Standard Feed.	<b>Jumper</b>	- - - -	- - - -	\$340 \$340
2	<b>MPOA041</b> MultiStations-Plus, Duplex Power Outlet, 4 in. long, black. Duplex 1.	<b>Outlet</b>	- - - -	- - - -	\$45 \$90
2	<b>MPOA042</b> MultiStations-Plus, Duplex Power Outlet, 4 in. long, black. Duplex 2.	<b>Outlet</b>	- - - -	- - - -	\$45 \$90
4	<b>MPOA044</b> MultiStations-Plus, Duplex Power Outlet, 4 in. long, black. Duplex 4 (isolated ground).	<b>Outlet</b>	- - - -	- - - -	\$45 \$180
2	<b>PWHB5463-2GD1-SEW3T2G0B</b> Upside, Height Adjustable Benching, 54L x 63in back-to-back. 2 stage legs (28.25 to 47.75 inches), glide. Hardwired power, 8 wire 4 circuit. Standard edge working sides. Center surface grommet. 14H tackable felt surface mounted divides. Black legs.	<b>Height Adj</b>	BODY-TBD TOP-TBD TACKABLE FELT-TBD POWDER-TBD	- - - -	\$6,940 \$13,880

26-Jan-24

1	PWHS181505-LGLG-LB-W0	Height Adj	BODY-TBD	-	\$330	\$330
	Upside Height Adjustable, Spacer, 18L x 15D x 05H. Laminate full upright with grommet left.		-	-		
	Laminate full upright with grommet right. Laminate valance front and back.		-	-		
			-	-		
					List Price	\$18,360

NOTES TO REVIEW

2 Data per user

