

# Kynde Collection

Specification Guide

June 2024

Three H



# General Information

## Limited Lifetime Warranty

Three H Furniture Systems Limited (‘Three H’) provides a limited lifetime warranty on all products sold to the original purchaser by a Three H authorized dealer. Three H warrants that its product will remain functional<sup>1</sup> for as long as the original purchaser owns the product. The obligation of Three H under this warranty is to repair or replace with a comparable product or component determined to be defective by Three H at no cost to the original purchaser, FOB purchaser’s destination.

<sup>1</sup> Remain Functional refers to the products ability to fulfill its original purpose or function.  
Updated November 2018

### EXCEPTIONS TO THIS WARRANTY MAY INCLUDE:

- Three H provides a full warranty on our bullnose, wavecrest and prestige wood trim and finish for a period of 3 years after date of delivery. After 3 years, the warranty applies to the wood edge only. General wear and fading of the finish after a 3 year period is not considered a defect.
- Three H provides a full warranty on our Workshelf wood legs and finish for a period of 3 years after date of delivery. After 3 years, the warranty applies to the leg only. General wear and fading of the finish after a 3 year period is not considered a defect.
- Variation in laminate finish characteristic including color and texture is not considered a defect.
- All fabrics including tackboards, panels & cushions are warranted for a period of 5 years after date of delivery.
- Techincal Knit covers are warranted for a period of 5 years after date of delivery.
- All lighting products including bulbs, tubes, ballasts and LEDs do not carry a warranty.
- All power related products & components carry a 1 year warranty.
- All electric height adjustable components carry a 5 year warranty.
- Product & components which are not directly manufactured by Three H. In this case warranty is determined by what is offered from the manufacturer of the defective product or component.
- Product that is not sold by a Three H authorized dealer.
- Product that is not installed & maintained in accordance with Three H’s guidelines & instructions.
- Product that is damaged by the end user due to misuse, accident, abuse, negligence or shipping.
- Incidental wear to product including scratches & dents occurring from everyday use.
- Product that has been altered or re-configured in any way prior to written approval by Three H.

- Product which has received excessive exposure to U.V rays, heat, water or harsh chemicals.
- Product that has been damaged due to re-installation without the assistance of an authorized Three H dealer or installer.
- Product that has been subject to conditions that exceed the BIFMA/ANSI standards applicable to that product.
- Product that is being used for rental purposes.
- Customers own material (COM) provided at the request of the user is not covered by the Three H warranty.

### WARRANTY CLAIM PROCEDURE

- All warranty claims must be authorized by Three H prior to approval.
- Claims can be directed to Three H’s warranty & replacement officer by contacting 1.800.767.5374 or by emailing [claims@three-h.com](mailto:claims@three-h.com).
- Claims must include original order number, as well as a description of return request.
- Three H reserves the right to investigate any of the above mentioned exceptions, request digital photos of the product in question, as well as proof of original ownership prior to warranty approval.

THIS WARRANTY LIABILITY IS LIMITED TO THE REPLACEMENT OF PRODUCT. THREE H WILL NOT BE HELD LIABLE FOR ANY PERSONAL OR PROPERTY DAMAGE AS WELL AS ANY CONSEQUENTIAL OR INCIDENTAL DAMAGE. THIS WARRANTY EFFECTIVE JANUARY 2017 SUPERSEDES ALL PREVIOUS WARRANTIES OFFERED BY THREE H FURNITURE SYSTEMS LIMITED.

## Care & Maintenance - Laminate & Metal

- Three H laminates can be easily cleaned with warm water and mild soaps. Do not use cleansers which contain abrasives, acids or alkalis.

Cleaners such as Lysol® Brand Clean & Fresh Multi-Surface Cleaner, Lysol® Disinfectant Spray, Clorox™ Disinfecting Wipes, Clorox™ Everest, etc.\* can be safely used on melamine laminates to protect against COVID 19.

\* Products containing Quaternary Ammonium are recommended for melamine surfaces


\* Full EPA List N available at: <https://bit.ly/2UEQOUc>

## Care & Maintenance - 3D Techincal Knit

- Three H laminates can be easily cleaned with warm water and mild soaps. Do not use cleansers which contain abrasives, acids or alkalis.

“Pay close attention to finishes, and don’t under estimate their impact.”

-Lee Fletcher



# Contents

General Information	2
Limited Lifetime Warranty	2
Contents	4
Environmental Sustainability	5
Statement of Line	6
Colors, Materials & Finishes	7
Power	8
Cable Management	9
Leveling	10
<b>Specifications</b>	
Conference	11
Meeting	12
Credenza	13
Bench & Fulstop	14

# Sustainability

In a world where sustainability meets sophistication, Kynde by Three H emerges as the epitome of considerate design and environmentally conscious functionality. Crafted with meticulous attention to detail, Kynde transcends the ordinary.

At the heart of Kynde lies a commitment to maximizing comfort, flexibility, and functionality while minimizing environmental impact.

Departing from conventional norms, Kynde pioneers a new approach to material selection. By prioritizing sustainability, aluminum – with its high carbon footprint – has been replaced by low-impact alternatives. Steel and wood materials, chosen for their minimal carbon footprint, form the foundation of Kynde’s construction, ensuring both durability and environmental responsibility.

Kynde redefines elegance with its thoughtful design. Free from visible levellers, adjustments are seamlessly concealed beneath a technical knit or laminate panelled covering. Smooth lines and an elastomeric edge ensure user comfort, eliminating any risk of encountering sharp edges.

Embracing the concept of adaptability, Kynde offers modular versatility. External surfaces are separable from the core structure, allowing for component replacement or aesthetic updates without the need for a complete table overhaul. The techknit base option, available in a spectrum of colors, harmonizes effortlessly with any office aesthetic, while an optional laminate base offers a timeless appeal.

Kynde invites genuine connection and meaningful interactions. Rooted in inclusivity and devoid of hierarchy, it fosters an environment where every participant feels valued and heard. By eliminating hard edges, both literal and metaphorical, Kynde embodies warmth and hospitality.

SCS Indoor Advantage Gold – Indoor Air Quality

All Three H products meet LEED requirements for EQ Credit: Low-Emitting Materials, Furniture.

### RECYCLED CONTENT

Made in North America using materials containing high levels of recycled content (including the main component – laminated CARB compliant commercial grade particleboard), which contributes to LEED credits.

### CONSTRUCTION WASTE MANAGEMENT

Component packaging materials consist largely of high recycled content cardboard and re-used wood pallets both of which are easily divertable from landfill and contribute to recycling and reuse programs.

### DAYLIGHT AND VIEWS

A broad range of product sizing, custom specifiable components and the integration of glass panels accommodates low profile workstation layout and designs.

### RESOURCE REUSE – FURNITURE AND FURNISHINGS

Easily expandable, reconfigurable and durable, Three H casegoods and MultiStations OS system products can be re-purposed to serve a broad range of applications throughout its useful life and contribute to Resource Reuse in future projects. The quality of components, simplicity of design, and enhanced reconfigurability combine to make Three H Furniture Systems a valuable, sustainable solution for the office today and tomorrow.

# Statement of Line

## Product Information

### Top

Kynde tops are 5/8” with a recessed sub top.

### Bases

Kynde bases are comprised of a steel base plate, laminate column, top mounting plate and two styles of a finished cover, curved laminate or 3D techincal knit.

### Leveling

Kynde Conference tables features conceals adjustable leveling. This leveling occurs at the top of the base with steel blocks.

### Cable Management

All bases offer cable management - See page 9.

### Top Edge Banding

Edge Banding is 1mm PVC.

### Sub Top

The 1” sub top is inset 2” and is finished with an elastormiric edging.

### Planter Tray

Credenzas offer an optional recessed metal planter tray.

### Custom Top Finishes

Non-standard laminates will be quoted per colour, with an order minimum.  
Please contact Three H customer service with the manufacturer’s name and laminate colour reference number.

### Use

Designed for indoor use only.


### Performance Standards

Manufacturer to comply with:  
ANSI/BIFMA


### Certifications

N/A


Amorphous




Loop




Rectangular



Trilobe





Ovoid





Square




Curved Laminate Base




3D Techincal Knit Base




Open Credenza



Mixed Credenza




Through Credenza



Bench



Fulstop



# Colours, Materials & Finishes

Edges will be finished to match the selected worksurface laminate.  
We currently carry 20+ Standard Laminate finishes and 6 Textured Laminate finishes.  
Learn more at [threeh.com/resources/materials-and-finishes/](https://threeh.com/resources/materials-and-finishes/)

## Standard Laminates

Almond  
Autumn Cherry  
Black  
Bleached Oak  
Clay  
Earth  
Grey  
Hazelnut  
Mahogany  
Mocha Walnut  
Nightfall Cocoa  
Oiled Cherry  
Oyster Sandstone  
Riveria Maple  
Pala Teak  
Sea Grey Rift  
Space Grey  
Storm Grey  
Stream Walnut  
Sugar Maple  
Sunset  
Tuxedo  
White

## Textured Laminates

Ashed Oak  
Fumed Oak  
Light Oak  
Natural Recon  
Sap Walnut  
Stone Rift

## 3D Techincal Knit Base

Black  
Blue Ink  
Camel  
Coal Grey  
Honey  
Ivory  
Olive  
Russet  
Sky  
Taupe

## Painted Metal Base

Black

## Thinscape Plinth

Black Amani  
Calcutta Blanc  
Spanish Limestone



# Power

## Product Information

### Conference & Meeting

#### Plinth

The use of the plinth elevates the power receptacles and allows for a certain level of customization and replacement when needed.

#### Trio

Includes three simplexes, USB A+C and a blank port.

#### Duo

Includes two simplexes, USB A+C.

#### Single Deluxe

An in-surface, 4-port power unit that includes two simplexes, USB A+C and a blank port. When in use, the lid opens for easy access at the table top, but closes softly to hide cable clutter out of sight.

### Fulstop

#### Undermount Duo

Includes two simplexes, USB A+C.

#### Flushmount Duo

Includes two simplexes, USB A+C.

#### 3" Round

Includes two simplexes, USB A+C.





# Wire Management

## Product Information

### Bases

Easily removable coverings provide access and conceal any cable clutter. Curved Laminate panels offer a small flex to be able to remove and install for easy access to the core of the pedestal base.

3D Techincal knit cover is secured to a steel top plate that is fastened to the underside of the subtop. With tools, the Technit cover can be dropped to the floor to provide easy access to the core of the pedestal base.

### Structure

A PET felt insert is place in the underside of the steel structure between the dual bases to conceal additional cords.



# Leveling

## Product Information

### Structure

Unlike traditional conference tables, Kynde is leveled at the top of the base not the bottom.

Each pedestal base includes a fixed steel block.

The frame support structure sits on the steel block.

Two 3" bolts pass thru the steel block and allow for the frame support structure to be elevated as needed to level the surface of the table.

No levelers are visible once the surface and leg covers are installed, providing a seamless appearance.



# Conference Specifications

## Product Information

### Size Range

Conference tables are available in lengths of 108", 120", 144", 168" & 192" and depths of 48", 54" & 60".

### Tops

Table tops 108"L are one piece. All other lengths are two piece.

### Top Grain Direction

All tops will have the grain running the length of the table. For tops made from two pieces, they will not be grain matched. Tighter grain patterns are recommended for Kynde Conference Table Tops.

### Bases

Curved Laminate panels will have the grain running vertical. 3D Techincal knit covers of a black nylon base with a contrast color nylon woven together.

The 48"D and 54"D tables, the pedestal base plate is 23"D trilobe shape. The 60"D tables, the pedestal base plaste is 26"D trilobe shape.

### Cable Management

There is a felt trough spanning the two bases to keep cords concealed. The base plate of each base includes a hold to access floor mount power.

### Top Edge Banding

Edge Banding is 1mm PVC.

### Sub Top

The 1" sub top is inset 2" and is finished with an elastormiric edging.

### Power

Conference tables offer 3 options on power specification with the Kynde Collection, Thinscape Power Plinth with two Trio units, two Trio units flushmounted on the table top, or in surface with the Single Deluxe.

For details - See page 8.



# Meeting Specifications

## Product Information

### Size Range

Meeting tables are available in three defined sizes depending on the table top shape.

Ovoid - 48”L x 36”D, 54”L x 42”D & 60”L x 48”D

Square - 48”L x 48”D, 54”L x 54”D & 60”L x 60”D

Trilobe - 48”L x 48”D, 54”L x 54”D & 60”L x 60”D

### Tops

Table tops are one piece.

### Bases

Curved Laminate panels will have the grain running vertical.

3D Techincal knit covers of a black nylon base with a contrast color nylon woven together.

The base plate of the Meeting base is 26” in diameter and a round base, in comparison to our Conference base that is trilobe in shape.

### Cable Management

The base plate of each base includes a hold to access floor mount power.

### Top Edge Banding

Edge Banding is 1mm PVC.

### Sub Top

The 1” sub top is inset 2” and is finished with an elastormiric edging.

### Power

Meeting tables offer 3 options on power specification with the Kynde Collection, Thinscape Power Plinth with one Duo units, one Duo unit flushmounted on the table top, or in surface with the Single Deluxe.

For details - See page 8.





# Credenza Specifications

## Product Information

### Size Range

Credenza are available in lengths of 72", 84" & 96" and a depth of 15" and a height of 22".

### Tops

Credenza tops are one piece 5/8" thick.

### Grain Direction

The grain will run horizontal in all configurations of credenzas.

### Bases

The credenza is supported with steel frame, 2"H, in a black finish.

### Cable Management

N/A

### Top Edge Banding

Edge Banding is 1mm PVC.

### Planter Tray

Credenzas offer an optional recessed metal planter tray, 48"L x 6"D x 1.5"H.



# Bench & Fulstop Specifications

## Product Information

### Size Range

Benches are available in lengths of 72", 84" & 96" and a depth of 15" and a height of 18".

Fulstops are available in 10"W x 20"D for a single sided application, or 10"W x 24"D for a double sided application. The Fulstop offers a finished installed height of 26".

### Tops

Bench tops are upholstered cushions available in Three H standard fabric program, with COM as an option.

Fulstops tops are one piece 5/8" thick.

### Top Grain Direction

The grain will run horizontal in all configurations of benches and fulstop.

### Bases

The bench is supported with steel frame, 2"H, in a black finish.

### Top Edge Banding

Edge Banding is 1mm PVC.

### Cable Management

The Fulstop includes a removable access panel and grommets to allow for cord access through the unit.

### Power

The Fulstop includes options on power that include the undermount Duo, the flushmount Duo and the 3" round.

For details - See page 8.



Three H Furniture Systems Limited  
156462 Clover Valley Rd.  
New Liskeard, ON  
Canada P0J 1P0  
T. 1.800.767.5374  
F. 1.888.484.5786  
[customer.service@three-h.com](mailto:customer.service@three-h.com)  
[www.threeh.com](http://www.threeh.com)

Prices subject to change without notice.

© 2024 Three H Furniture Systems Limited. All rights reserved.